

1133 Sassy Tree Lane, Desert Lake, ON

X12142184



3 Bedrooms

3 Bathrooms

4.71 Acres

Desert Lake

Spectacular Desert Lake Waterfront Home!

If deep, clean, west facing waterfront is what you are looking for and a custom-built beautiful home, then look no further! Welcome to 1133 Sassy Tree on beautiful Desert Lake. This home sits perched on the hill and overlooks the lake and has gentle steps down to the waterfront. As you enter the home, you will immediately notice quality and craftsmanship throughout. The welcoming foyer opens up into a large living area with a fireplace and an open concept dining room and custom kitchen with stone counter tops an abundance of cabinets. There is a laundry room located behind the kitchen and a primary bedroom with an attached 4-pc en-suite bathroom. At the other end of the home is a second bedroom and a main 4-pc bathroom. From the dining room area, you can access a large screened in porch and open deck area that looks down towards the dock and lake.







	able	Of	Co	ontents
1	133 Sas	sv Ti	ree l	lane

Desert Lake, ON

Features	
Gallery	
Floor Plans	6
Survey	8
WETT Inspection	9
Chimney Sweep	10
Water Test	11
Well Report	12
Septic Pumping Receipt	13
Interactive Links	10
MLS Listing	11
Contact Information	12











Features

Spectacular Desert Lake Waterfront Home!

- If deep, clean, west facing waterfront is what you are looking for and a custom-built beautiful home, then look no further!
- Welcome to 1133 Sassy Tree on beautiful Desert Lake. This home sits perched on the hill and overlooks the lake and has gentle steps down to the waterfront.
- As you enter the home, you will immediately notice quality and craftsmanship throughout. The welcoming foyer opens up into a large living area with a fireplace and an open concept dining room and custom kitchen with stone counter tops an abundance of cabinets. There is a laundry room located behind the kitchen and a primary bedroom with an attached 4-pc en-suite bathroom. At the other end of the home is a second bedroom and a main 4-pc bathroom.
- From the dining room area, you can access a large screened in porch and open deck area that looks down towards the dock and lake.
- Heading downstairs you will find a massive recreation room with a walkout door through the ICF foundation into the front yard. Also located on this level is a third bedroom, a 3-pc bathroom and a large utility room.
- This home is serviced by a septic system and a newly drilled well. There is a storage area with exterior access to a storage room that once housed the oil tank, but the home is now heated by a forced air, propane furnace.
- Down the pathway and steps, past the trickling stream you will find a large dock, deep clean waterfront and access to all your waterfront dreams. The landscape and gardens will surely impress you and the massive rock face behind the house creates an amazing Canadian Shield backdrop.
- Desert Lake is located on the Canadian Shield and is one of the deepest lakes in our area with great swimming, boating and fishing opportunities.

Directions

• Sassy Tree Lane & Desert Lake Road

GALLERY













Page 4

GALLERY














Page 5


FLOOR PLAN 1/2



Main Floor

GROSS INTERNAL AREA
FLOOR 1: 1111 sq.ft, 103 m², FLOOR 2: 1122 sq.ft, 104 m²
EXCLUDED AREA: STORAGE: 84 sq.ft, 8 m², PORCH: 165 sq.ft, 15 m², DECK 1: 291 sq.ft, 27 m², DECK 2: 39 sq.ft, 4 m², ENCLOSED PORCH: 181 sq.ft, 17 m²
TOTAL: 2233 sq.ft, 207 m²


FLOOR PLAN



Basement

GROSS INTERNAL AREA
FLOOR 1: 1111 sq.ft, 103 m², FLOOR 2: 1122 sq.ft, 104 m²
EXCLUDED AREA: STORAGE: 84 sq.ft, 8 m², PORCH: 165 sq.ft, 15 m², DECK 1: 291 sq.ft, 27 m², DECK 2: 39 sq.ft, 4 m², ENCLOSED PORCH: 181 sq.ft, 17 m²
TOTAL: 2233 sq.ft, 207 m²

SURVEY



WETT INSPECTION



P.O. BOX 250 Sydenham, Ontario K0H 2T0 Tel: (613) 376-3755 Fax: (613) 376-7641

Inspection

11/22/2006

1133 Sassy Tree Lane R.R.#1 Hartington, On K0H IW0

RE: WETT Inspection

The wood burning lireplace and chimney located at the above address have been installed within the guidelines of the Solid Fuel installation code.

The inspector holds a valid WETT certification # 4705

Regards,

Greg Howatson

President

Austin Fox Plumbing & Heating

CHIMNEY SWEEP

Sweep Right Chimney Services





Box 239, 20 Whelan St. Westport, Ont. Tel.(613) 273-4402 1-888-743-3288 www.rvhh.com jima@rideau.net

Customer:	Date: 10 10 2023
122 (1	Date. 10 10 20 20
7 11	F:1
C /-	Email:
Service Requested: Sweep	
Manufacturer Model	Fuel Age
Rideau Valley Hearth & Home Customer YN	V
Appliance Type	Roof pitch
Chimney Type	Roof const.
Checklist / _Comments	, L
Drop Sheets Used	ey Sweep \$18000
Creosote Buildup	7 100
Gasket Checked	
Glass Cleaned	
Stove Painted	
Brick Checked	
Baffle Checked	
Hinges Greased	
Handle Adjusted	
Air Tubes Vacuumed	
Smoke Pipe Checked	
Chimney Checked	
Blower Cleaned	
Rideau Valley Hearth & Home assumes no responsibility for the safety and code compliance of any system areas that are not clearly visible based on a visual inspection. Any system that is seen to be in violation of B-365 or manufacturers installation instructions can not be cleaned by Rideau Valley Hearth & Home and must be taken out of use by customer until appliance is brought up to code. A written deficiency letter is available from Rideau Valley Hearth & Home outlining work that must be done at a cost.	de Anson
Customer Signature	Technician Signature

WATER TEST

Public Health Ontario Santé publique Ontario Public Health Laboratory - Kingston

181 Barrie St KINGSTON, ON K7L 3K2

Bacteriological Analysis of Drinking Water for Private Citizen, Single Household Only Analyse bactériologique de l'eau potable - Particuliers, Ménages unifamiliaux seulement

Submitter's Name and Mailing Address /

Nom et adresse postale de l'auteur de la demande d'analyse**

irst Name, Last Name / Prénom, Nom de famille

 \times

1133 SASSY TREE LANE HARTINGTON, ON K0H 1W0 Location of Water Source / Emplacement de la source d'eau**

ot Concession / ou lot concession

Emergency Locator # / B11# 1133

Yes / Oul

Street address / Adresse municipale

1133 SASSY TREE LANE SOUTH FRONTENAC ON K0H1W0

County / Comté: FRONTENAC

lealth Unit # / # du bureau de santé: 2241

Specimen details / Détails sur l'échantillon:

Barcode / Code à barres: 012861623

Phone # / # tél.**: 416 816 6797

Date/Time Collected / Date/heure du prélèvement* **: 2025-04-29 19:30:00

Date/Time Received / Date/heure Recu le*: 2025-04-30 10:00:00

Purification system used (e.g. UV, filtration, etc.)? / Système d'épuration utilisé (p. ex. rayons UV, filtration, etc.)?**

Authorized by / Autorisé par

Vice President and Chief, Microbiology and Laboratory Services or Designate / ou Désigner

Specimen Note / Note sur l'échantillon:

This specimen was received in good condition unless otherwise stated./À moins d'avis contraire, l'échantillon était en bonne condition au moment de la réception.

Test results / Résultats d'analyse:

Total Coliform CFU/100 mL / Coliformes totaux UFC/100 mL

0

E.coli CFU/100 mL / E. coli UFC/100 mL

0

Interpretation / Interprétation:

There is no evidence of fecal contamination. If the results show the presence of coliforms it may be indicative of a contaminated water supply. Given the susceptibility of well water to external influences, it is important to test water frequently. Consult local health unit for information if required.

Il n'y a aucune preuve de contamination fécale. Si les résultats indiquent la présence de coliformes, cela peut être révélateur d'une source d'eau polluée. L'eau des puits étant susceptible d'être dégradée par des facteurs externes, il est important de la faire analyser fréquemment. Consultez le bureau local de santé publique pour plus de détails, si nécessaire.

Date of Analysis / Date de l'analyse:

2025-04-30

Date Read / Analyse effectuée le: 2025-05-01

Please Note / Prière de noter ce qui suit :

*All time values are EST/EDT and based on a 24-hour clock / Toutes les heures sont exprimées en HNE/HAE et basées sur une horloge de 24 heures.

The results apply to the sample as received/Les résultats s'appliquent à l'échantillon, tel que reçu.

These results relate only to the sample tested. / Le résultat obtenu se rapporte seulement à cet échantillon d'eau analysé.

Note: This water sample was only tested for the presence of both Total Coliforms and E. coli (ISO/IEC 17025 accredited tests) bacterial indicators of contamination by Membrane Filtration. The sample was not tested for other contaminants, including chemical contaminants, and therefore may be unsafe to drink even when there is no significant evidence of bacterial contamination. Contact your local public health unit for information on testing for other contaminants. Remarque: Cet échantillon d'eau n'a été analysé que pour déceler (par un laboratoire accrédité conformément à la norme ISO/IEC 17025) la présence des coliformes totaux et des bactéries collibacillaires, indicateurs de contamination par filtration sur membrane. L'échantillon n'a pas été testé pour d'autres contaminants, y compris les contaminants chimiques et, par conséquent, l'eau peut être impropre à la consommation même lorsqu'il n'y a aucune preuve significative de contamination bactérienne. Veuillez communiquer avec le bureau de santé publique de votre localité pour vous renseigner au sujet de l'analyse visant à détecter la présence d'autres contaminants.

If the reported client information does not match the information you supplied on the form please contact the PHO Customer Service Centre. Telephone: 1-877-604-4567 or 4-16-235-6556 or E-mail: customerservicecentre@oahpp.ca. For operating hours see our website www.publichealthontario.ca/labs. / Si les informations sur le client indiquées ne correspondent pas aux informations que vous avez fournies sur le formulaire, veuillez communiquer avec le Service à la clientèle de SPO par téléphone au 1-877-604-4567 ou 416-235-6556, ou par courriel au customerservicecentre@oahpp.ca. Pour connaître les heures d'ouverture, veuillez consulter notre site Web à www.publichealthontario.ca/labs.

End of report / Fin du rapport

*All time values are EST ÆDT/Toutes les heures sont exprimées en HNE ou en HAE.

**Data provided by the customer / Données fournies par le client.

Print Date / Date d'impression*: 2025-05-01

Date Reported / Date du rapport*: 2025-05-01 10:30:42

Page 1 of 1


LIMS Report #: 55959991 T_SingleSampleOPHL_WATPRIVATE.rpt

Ontario

WELL REPORT


Ontari	00		of the Envir		Well Tar	q No. (Plana Sticker no	w/ Bek	ow)		W	ell F	Record
Measuremen	nts record			Imporial		Tag#:A399	667	Regulation	903 0			
Well Owne	Maria Caracteria	100	7							Page	10.00	of
Fire							E-mail Ad	dress		T.		Constructed ell Owner
Manary Actors	0010000	rramouni (an	10)		1	Municipality	Province	Postal Code			M	on Cwiler
Well Locati	ion.	SASS	1456	EU	ANE	HARTINGTO	W 00	22 KOHII	WO		\geq	
Address of We		n (Street Nun	nber/Name)			Township LOUGH	BOROUS	Lot		Concessio	n	
County/Distric	ct/Municipa	ality	7.66	ELA	CALL S	City/Town/Village	ALE UN	0	Provin		Posta	Code
UTM Coordina	ales Zone	Fasiling	No	orthing		Municipal Plan and Sublo	t Number		Ont	ario	Ш	
NAD 8	13 LE	37BI	H PLET	19310	MOR			7 1 2 170	00101			
Overburden General Colo			als/Abando non Material	nment Se		ord (see instructions on the ner Materials	e back of this for	m) General Description			Dep	th (m/ft)
Beou	214	CLP	(2)								From	10:
RED		GRAN									6	73
GREI		GRA-	ITE								73	115
RED/BLA	PCI	Gear	WITE								15	1 20
												3.7
						THE THE						
		2070	Annular			V		Results of W				ecovery
Depth Set a	To To		Type of Sea (Material an			Volume Placed (m³/fi³)	□ Clear and			Water Lev (m/ft)		Water Leve (m/ft)
20	0		Eme	TUT		7FT3	Other, sp If pumping dis	continued, give reason	Static		(trans)	(FIBIR)
									Level 1	33.4	1	69
							Pump intake s	et at (m/ft)	2	391	2	1 7
57-41	1 -10				101-11-11		Pumping rate	(Vmin / GPM)	3	40.6	3	65.
Cable Tool		Diamond			Well Us	rcial Not used	Duration of pu	sem.	4	421	4	63,4
Rotary (Con		☐ Jotting ☐ Driving	Live		Municipi Test Hol	is Manitoring		O min	5	43.6	5	
Boring Air percussi	ion	Digging	☐ Imig		Cooling	8 Air Conditioning		rel and of pumping (m/ft)	10	49.7	10	53.1
Other, speci		etweeting D	-	ner, specify		0		rate (l/mir/GPM)	15	54.8	15	47,4
Inside	Open Hole	OR Material	Wall		n (m/ft)	Status of Well Water Supply	Recommende	d pump depth (m/ft)	20	57.7	20	413
Diameter (cm/in)	Concrete, F	J. Fibreglass, Plastic, Stool)	Thickness (cm/in)	From	То	Replacement Well Test Hole	Recommende	175	25	60.6	25	
6 14"	STE		188cm	+9,	90'	Rocharge Well Dewatering Well	(I/min/GPM)	5 GPm	30	65,6	30	
6" 0	EN	HOLE		20	180	Observation and/or Monitoring Hole	Well production	n (l/min/GPM)	40	6618	40	
						Alteration (Construction)	Disinfected?	KGPm.	50			
	-					Abandoned, Insufficient Supply	Yes	No (Pm 120	60	71.2	60	38.7
Outside		struction R			h (m/fb)	Abandoned, Poor Water Quality	Please provid	Map of W de a map below followi			the back	
Diameter (cm/in)	Plantic, Gah	ranized, Steet)	Sint No.	From	To	Abandoned, other, specify	TN			TAIR		
						Clother specify						
		Water Det				lole Diameter		MEET)				10
Water found a				Untested	From	th (m/ft) Diameter To (cm/in)	la de la constante de la const					
Water found a	at Depth 1	Kind of Water	Fresh	Untested	0	90, 10,			11			
(m/ft Water found a		Other, spe Kind of Water		Untested	36	180 6"						
(m/ft		Other, spe								\$		
Business Nan		Contractor	or and Well	Technicia		ion el Contractor's Licence No.					R.	
		at Number/No		LLIN	6	31 21 013	Comments		11	12		
Business Add	P	PIN	TROPI			LENBURN LE	Comments:					
Province		stal Code		E-mail Ad			Well owner's	Date Package Delivere	ed]	Mini	stry Use	Oply
Bus. Telephone	Bus. Telephone No. (inc. area code) Name of Well Technician (Last Name, First Name)							Date Package Deliver		Audit No.	Z42	527
Well Technician	n's Licence	No. Signature	of Technicia	n and/or Co	ontractor Da	te Submitted	delivered	Date Work Completed	2012	1		
28	70	1 /2	ress	2		Y Y M M D D	No	YYYYMM	D D	Received		
0506E (2020/06)	© Queen	s Printer for Onta	ario, 2020	15 17 15		Well Owner's Cop	у					rir, i.

SEPTIC PUMPING RECEIPT



INTERACTIVE LINKS

Virtual Tour





Scan the QR Code or Visit: https://my.matterport.com/show/? m=BPJU1Fp9cXD

Video Tour





Scan the QR Code or Visit: https://youtu.be/J07VhIx-RyA

Google Map





Scan the QR Code or Visit: https://maps.app.goo.gl/G8CBsGT vs5hhX2Xx7

Panorama View





Scan the QR Code or Visit: https://360panos.org/panos/ 1133Sassy1/

MLS LISTING



1133 Sassy Tree Lane Frontenac Ontario K0H 1W0

Frontenac 47 - Frontenac South Frontenac

SPIS: N

Taxes: \$5,277.06/2024

Detached

Front On: N

Detached **Link:** N Bungalow Rms: 13 Bedrooms: 2 + 1

List: \$1,249,000 For: Sale

DOM: 0

Washrooms: 3 2x4xMain, 1x3xBsmt

Lot: 475 x 300 Feet**Irreg:**

Dir/Cross St: Sassy Tree Lane & Desert Lake Road

MLS#: X12142184 PIN#: 362

Possession Remarks: TBD Kitchens: 1 + 0 Fam Rm: N

Basement: Fin W/O / Full Fireplace/Stv: Y

Heat: Forced Air / Propane

A/C: Central Air

Central Vac: Y
Apx Age: 1100-15

Apx Age: 1100-1500 **Apx Sqft:**

Assessment: POTL:

POTL Mo Fee: Elevator/Lift: Laundry Lev:

Phys Hdcap-Eqp:

Exterior: Brick / Vinyl Siding
Drive: Pvt Double
Gar/Gar Spcs: None / 0
Drive Park Spcs: 4
Tot Prk Spcs: 4

UFFI:
Pool:
Energy Cert:
Cert Level:
GreenPIS:

Central Vacuum, Fireplace/Stove, Lake Access, Waterfront, Waterfront,

None

Wooded/Treed

Prop Feat:

Zoning: RLSW
Cable TV: A
Hydro: Y
Gas: N
Phone: A
Water: Well
Water Supply: Drilled

Water Supply: Drilled Well
Sewer: Septic
Spec Desig: Unknown
Farm/Agr: Direct
Waterfront: Garden Shed, Shed

Retirement:

Oth Struct:

Acre: 2-4.99

Water Body Name: Desert Lake Water Body Type: Lake Water Frontage (M): 144.78

Topography: Hilly,Rocky,Wooded/Treed

Main

Water Features: Dock, Stairs to Waterfront, Waterfront-Deeded

Access to Property: Private Road

Docking Type: Private Water View: Direct WaterfrontYN: Y Waterfront: Direct **Shoreline:** Clean, Deep, Rocky **Shoreline Allowance:** None

Shoreline Exp: W

Alternative Power: Generator-Wired Easements/Restrict: Unknown

Rural Services:

Cell Services, Electricity Connected, Garbage Pickup, Internet High

Speed, Recycling Pickup, Telephone Available
Waterfront Accessory Bldgs: Not Applicable
Water Delivery Features: Uv System

#	Room	Level	Length (ft)	Width (ft)	Description		
1	Foyer	Main	5.25	x4.59	Tile Floor		
2	Living	Main	17.06	x12.8	Hardwood Floor	Fireplace Insert	
3	Dining	Main	13.12	x13.12	Hardwood Floor	W/O To Deck	
4	Kitchen	Main	9.84	x9.19	Tile Floor		
5	Laundry	Main	17.72	x6.56	Tile Floor		
6	Prim Bdrm	Main	13.45	x10.83	Hardwood Floor		
7	Bathroom	Main	15.42	x7.87	Tile Floor	4 Pc Ensuite	
8	2nd Br	Main	10.83	x10.17	Hardwood Floor	4 Pc Bath	
9	Bathroom	Main	7.55	x4.59	Tile Floor	W/O To Yard	
10)Rec	Lower	26.25	x20.34	Laminate	3 Pc Bath	
11Bathroom 123rd Br		Lower	10.17	x7.22	Tile Floor	3 FC Datii	
		Lower	12.8	x10.17	Laminate		
13		Lower	18.7	x 12.8	Concrete Floor		

Client Remks: Spectacular Desert Lake waterfront home! If deep, clean, west facing waterfront is what you are looking for and a custombuilt beautiful home, then look no further! Welcome to 1133 Sassy Tree on beautiful Desert Lake. This home sits perched on the hill and overlooks the lake and has gentle steps down to the waterfront. As you enter the home, you will immediately notice quality and craftsmanship throughout. The welcoming foyer opens up into a large living area with a fireplace and an open concept dining room and custom kitchen with stone countertops and an abundance of cabinets. There is a laundry room located behind the kitchen and a primary bedroom with an attached 4-pc en-suite bathroom. At the other end of the home is a second bedroom and a main 4-pc bathroom. From the dining room area, you can access a large screened in porch and open deck area that looks down towards the dock and lake. Heading downstairs you will find a massive recreation room with a walkout door through the ICF foundation into the front yard. Also located on this level is a third bedroom, a 3-pc bathroom and a large utility room. This home is serviced by a septic system and a newly drilled well. There is a storage area with exterior access to a storage room that once housed the oil tank, but the home is now heated by a forced air propane furnace. Down the pathway and steps, past the trickling stream you will find a large dock, deep clean waterfront and access to all your waterfront dreams. The landscape and gardens will surely impress you and the massive rock face behind the house creates an amazing Canadian Shield backdrop. Desert Lake is located on the Canadian Shield and is one of the deepest lakes in our area with great swimming, boating and fishing opportunities.

Extras:

Listing Contracted With: ROYAL LEPAGE PROALLIANCE REALTY, BROKERAGEPh: 613-273-9595



Questions? Contact us:

Tammy & Heath Gurr

Royal LePage ProAlliance Realty, Brokerage







Westport Office: 7 Spring Street, P.O. Box 148, Westport, ON K0G 1X0 www.gurreathomes.com info@gurreathomes.com (613) 273-9595

Kingston Office: 640 Cataraqui Woods Drive Kingston, ON K7P 2Y5