

1133 Sassy Tree Lane, Desert Lake, ON





3 Bedrooms

3 Bathrooms

4.71 Acres

Desert Lake

Spectacular Desert Lake Waterfront Home!

If deep, clean, west facing waterfront is what you are looking for and a custom-built beautiful home, then look no further! Welcome to 1133 Sassy Tree on beautiful Desert Lake. This home sits perched on the hill and overlooks the lake and has gentle steps down to the waterfront. As you enter the home, you will immediately notice quality and craftsmanship throughout. The welcoming foyer opens up into a large living area with a fireplace and an open concept dining room and custom kitchen with stone counter tops an abundance of cabinets. There is a laundry room located behind the kitchen and a primary bedroom with an attached 4-pc en-suite bathroom. At the other end of the home is a second bedroom and a main 4-pc bathroom. From the dining room area, you can access a large screened in porch and open deck area that looks down towards the dock and lake.







/	able	Of	Contents
---	------	----	----------

1133 Sassy Tree Lane Desert Lake, ON

i catures	
Gallery	5
Floor Plans	6
Survey	8
WETT Inspection	9
Chimney Sweep	10
Water Test	11
Well Report	12
Septic Pumping Receipt	13
Interactive Links	10
MLS Listing	11
Contact Information	12











Features

Spectacular Desert Lake Waterfront Home!

- If deep, clean, west facing waterfront is what you are looking for and a custom-built beautiful home, then look no further!
- Welcome to 1133 Sassy Tree on beautiful Desert Lake. This home sits perched on the hill and overlooks the lake and has gentle steps down to the waterfront.
- As you enter the home, you will immediately notice quality and craftsmanship throughout. The welcoming foyer opens up into a large living area with a fireplace and an open concept dining room and custom kitchen with stone counter tops an abundance of cabinets. There is a laundry room located behind the kitchen and a primary bedroom with an attached 4-pc en-suite bathroom. At the other end of the home is a second bedroom and a main 4-pc bathroom.
- From the dining room area, you can access a large screened in porch and open deck area that looks down towards the dock and lake.
- Heading downstairs you will find a massive recreation room with a walkout door through the ICF foundation into the front yard. Also located on this level is a third bedroom, a 3-pc bathroom and a large utility room.
- This home is serviced by a septic system and a newly drilled well. There is a storage area with exterior access to a storage room that once housed the oil tank, but the home is now heated by a forced air, propane furnace.
- Down the pathway and steps, past the trickling stream you will find a large dock, deep clean waterfront and access to all your waterfront dreams. The landscape and gardens will surely impress you and the massive rock face behind the house creates an amazing Canadian Shield backdrop.
- Desert Lake is located on the Canadian Shield and is one of the deepest lakes in our area with great swimming, boating and fishing opportunities.

Directions

• Sassy Tree Lane & Desert Lake Road

GALLERY













Page 4

GALLERY














Page 5


FLOOR PLAN 1/2



Main Floor

GROSS INTERNAL AREA
FLOOR 1: 1111 sq.ft, 103 m², FLOOR 2: 1122 sq.ft, 104 m²
EXCLUDED AREA: STORAGE: 84 sq.ft, 8 m², PORCH: 165 sq.ft, 15 m², DECK 1: 291 sq.ft, 27 m², DECK 2: 39 sq.ft, 4 m², ENCLOSED PORCH: 181 sq.ft, 17 m²
TOTAL: 2233 sq.ft, 207 m²


FLOOR PLAN



Basement

GROSS INTERNAL AREA
FLOOR 1: 1111 sq.ft, 103 m², FLOOR 2: 1122 sq.ft, 104 m²
EXCLUDED AREA: STORAGE: 84 sq.ft, 8 m², PORCH: 165 sq.ft, 15 m², DECK 1: 291 sq.ft, 27 m², DECK 2: 39 sq.ft, 4 m², ENCLOSED PORCH: 181 sq.ft, 17 m²
TOTAL: 2233 sq.ft, 207 m²

SURVEY



WETT INSPECTION



P.O. BOX 250 Sydenham, Ontario K0H 2T0 Tel: (613) 376-3755 Fax: (613) 376-7641

Inspection

11/22/2006

1133 Sassy Tree Lane R.R.#1 Hartington, On K0H IW0

RE: WETT Inspection

The wood burning fireplace and chimney located at the above address have been installed within the guidelines of the Solid Fuel installation code.

The inspector holds a valid WETT certification # 4705

Regards,

Greg Howatson

President

Austin Fox Plumbing & Heating

CHIMNEY SWEEP

Sweep Right Chimney Services





Box 239, 20 Whelan St. Westport, Ont. Tel.(613) 273-4402 1-888-743-3288 www.rvhh.com jima@rideau.net

Customer:_		Date:	0/10/2023
Address: 133	Sassey Tree Lan	٥	
Sout	th Frontenac	Email:	
Service Requested:	Sweep		
Manufacturer	Mod	lel	Fuel Age
Rideau Valley Hearth	h & Home Customer Y	_N	POLIN .
Appliance Type		Roof pitch	
Chimney Type		Roof const.	
Checklist	/ _Comments		H
Drop Sheets Used Creosote Buildup Gasket Checked Glass Cleaned Stove Painted Brick Checked Baffle Checked Hinges Greased Handle Adjusted Air Tubes Vacuumed Smoke Pipe Checked Chimney Checked Blower Cleaned	- CHim	Ney Sweep	0 \$1800
Rideau Valley Hearth & Home assum responsibility for the safety and compliance of any system areas the not clearly visible based on a inspection. Any system that is seen in violation of B-365 or manufactinstallation instructions can no cleaned by Rideau Valley Hearth & and must be taken out of use by custuntil appliance is brought up to codwritten deficiency letter is available Rideau Valley Hearth & Home out work that must be done at a cost.	code at are visual n to be titurers bt be Home stomer de. A e from	Technician Signature	A775

WATER TEST

Public Health Santé publique Ontario Public Health Laboratory - Kingston

181 Barrie St KINGSTON, ON K7L 3K2

Bacteriological Analysis of Drinking Water for Private Citizen, Single Household Only Analyse bactériologique de l'eau potable - Particuliers, Ménages unifamiliaux seulement

Submitter's Name and Mailing Address /

Nom et adresse postale de l'auteur de la demande d'analyse**

irst Name, Last Name / Prénom, Nom de famili

1133 SASSY TREE LANE HARTINGTON, ON K0H 1W0 Location of Water Source / Emplacement de la source d'eau**

Emergency Locator # / 911#

1133

Yes / Oul

eet address / Adresse municipale

1133 SASSY TREE LANE SOUTH FRONTENAC ON K0H1W0

County / Comté: FRONTENAC

lealth Unit # / # du bureau de santé: 2241

Specimen details / Détails sur l'échantillon:

Barcode / Code à barres: 012861623

Phone # / # tél.**: 416 816 6797

Date/Time Collected / Date/heure du prélèvement* **: 2025-04-29 19:30:00

Date/Time Received / Date/heure Reçu le*: 2025-04-30 10:00:00

Purification system used (e.g. UV, filtration, etc.)? / Système d'épuration utilisé (p. ex. rayons UV, filtration, etc.)?**

Authorized by / Autorisé par

Vice President and Chief, Microbiology and Laboratory Services or Designate / ou Désigne

Specimen Note / Note sur l'échantillon:

This specimen was received in good condition unless otherwise stated./A moins d'avis contraire, l'échantillon était en bonne condition au moment de la réception.

Test results / Résultats d'analyse:

Total Coliform CFU/100 mL / Coliformes totaux UFC/100 mL

0

E.coli CFU/100 mL / E. coli UFC/100 mL

0

Interpretation / Interprétation:

There is no evidence of fecal contamination. If the results show the presence of coliforms it may be indicative of a contaminated water supply. Given the susceptibility of well water to external influences, it is important to test water frequently. Consult local health unit for information if required.

Il n'y a aucune preuve de contamination fécale. Si les résultats indiquent la présence de coliformes, cela peut être révélateur d'une source d'eau polluée. L'eau des puits étant susceptible d'être dégradée par des facteurs externes, il est important de la faire analyser fréquemment. Consultez le bureau local de santé publique pour plus de détails, si nécessaire.

Date of Analysis / Date de l'analyse:

2025-04-30

Date Read / Analyse effectuée le: 2025-05-01

Please Note / Prière de noter ce qui suit :

*All time values are EST/EDT and based on a 24-hour clock / Toutes les heures sont exprimées en HNE/HAE et basées sur une horloge de 24 heures.

The results apply to the sample as received/Les résultats s'appliquent à l'échantillon, tel que reçu.

These results relate only to the sample tested. / Le résultat obtenu se rapporte seulement à cet échantillon d'eau analysé.

Note: This water sample was only tested for the presence of both Total Coliforms and E. coli (ISO/IEC 17025 accredited tests) bacterial indicators of contamination by Membrane Filtration. The sample was not tested for other contaminants, including chemical contaminants, and therefore may be unsafe to drink even when there is no significant evidence of bacterial contamination. Contact your local public health unit for information on testing for other contaminants / Remarque: Cet échantillon d'eau n'a été analysé que pour déceler (par un laboratoire accrédité conformément à la norme ISO/IEC 17025) la présence des coliformes totaux et des bactéries collibacillaires, indicateurs de contamination par filtration sur membrane. L'échantillon n'a pas été testé pour d'autres contaminants, y compris les contaminants chimiques et, par conséquent, l'eau peut être impropre à la consommation même lorsqu'il n'y a aucune preuve significative de contamination bactérienne. Veuillez communiquer avec le bureau de santé publique de votre localité pour vous renseigner au sujet de l'analyse visant à détecter la présence d'autres contaminants.

If the reported client information does not match the information you supplied on the form please contact the PHO Customer Service Centre. Telephone: 1-877-604-4567 or 416-235-6556 or E-mail: customerservicecentre@oahpp.ca. For operating hours see our website www.publichealthontario.ca/labs. / Si les informations sur le client indiquées ne correspondent pas aux informations que vous avez fournies sur le formulaire, veuillez communiquer avec le Service à la clientèle de SPO par téléphone au 1-877-604-4567 ou 416-235-6556, ou par courriel au customerservicecentre@oahpp.ca. Pour connaître les heures d'ouverture, veuillez consulter notre site Web à www.publichealthontario.ca/labs

End of report / Fin du rapport

*All time values are EST ÆDT/Toutes les heures sont exprimées en HNE ou en HAE.

**Data provided by the customer / Données fournies par le client.

Print Date / Date d'impression*: 2025-05-01

Date Reported / Date du rapport*: 2025-05-01 10:30:42


Page 1 of 1

LIMS Report #: 55959991 T_SingleSampleOPHL_WATPRIVATE.rpt

WELL REPORT

Ontar	rio 🕅		of the Envi		Well Tag	No. (Place Sticker o	netter Duter Bek	ow)		V	Vell F	Record
Measureme	ents records		ntion and P	Imporial		Tag#:A399	667	Regulation	903 0	ntario W	ater Res	ources Act
	ner's Infor		7	miporiai						Pag	9	of
Fin			-				E-mail Ad	dress				Constructed all Owner
Manary / co	neos to sees	rumoumain	10)			Municipality	Province	Postal Code		Total Inc.	by ver	at Owner
Well Loca		SASSI	1456	ELV	ANE	HARTINGTO	4 00	20 KOHI	WO		\geq	
		(Street Num	nber/Name)		T	ownship LOUGH	Bosous			Concessi	on	
County/Dist	trict/Municipa	ility	TRE	ELA		City/Town/Village	ALE MU	0	Provin		Postal	Code
UTM Coord	inales Zone	Easting .	. N	orthing	N.	Aunicipal Plan and Subio	t Number		Ont	ario	Ш	
NAD	8 3 1	37BIL	I PLET	19310	Mal			THE STATE OF	55000700			
General Co		Most Comm		nment Se		rd (see instructions on the er Materials	e back of this for	m) General Description			Dep	th (m/fl)
Beo	with	CLP	(2)					A STATE OF THE STA			From	611
RED		GRAN	TE								6"	73
GRE		GRA-	ITE								73	115
KED/BI	POL	Gear	STIL								115	1.20
										221		
		4 7 7 9					1			TIE I		
							1357					
							فالطال					HOLE
Depth Se	ot at (m/ft)	reple	Annular Type of Sea			Volume Placed	After test of we	Results of We ell yield water was:		d Testing		ecovery
From	То		(Material ar	nd Type)		(m³/fi³)	☐ Clear and	d sand free	Time (min)	Water Le	val Time (min)	Water Level (m/ft)
20	0		EME	TUT		TETS		continued, give reason:	Static Level	33.1	1	
									1	37.1	1	69
							Pump intake s	et at (m/ft)	2	39.1	2	67.1
Meth	nod of Con	struction			Well Us	e	Pumping rate		3	40.1	3	65.3
Cable Too	ol Conventional)	Diamond Jotting		blic mestic	Commer		Duration of pu	mping mping	4	191	4	
Rotary (R		☐ Driving ☐ Digging		estock	Test Hol		Personal Control of the Control of t	min rel and of pumping (m/ft)	5	43.6		
Air percus		La enganis	□ Ind		TITI GOOD IN	server storage and	7	lia .	10	49.	10	53.1
		struction Re				Status of Well	If flowing give i	rate (l/min/GPM)	15	54.	15	
Inside Diameter	(Galvanized	OR Material Fibreglass,	Wall Thickness	Dept	n (m/ft)	☐ Water Supply ☐ Replacement Well	Recommende	d pump depth (m/ft)	25	51	25	113
(cmin)		lastic, Stool)	(cm/in)	-		Test Hole Rocharge Well	Recommende (l/min/GPM)		30	45	30	27.9
10 (4)	STE	EL STORE	188cm	+0	90	Dewatering Well Deservation and/or	Well production	5 GPm	40	Lab.	40	
0	OVEN	MOVE		540	100	Monitoring Hote Alteration		8GPm	50	69.0	50	33 9
						(Construction)	Disinfected?	No (Pm 120	60	71.8	60	
	Con	struction R	ecord - Scr	1	1	Insufficient Supply Abandoned, Poor	Disco	Map of W				
Outside Diameter (cm/in)		enized, Steel)	Slot No.	From	fr (m/fl)	Water Quality Abandoned, other,	The state of the state of	te a map below followi	ng mair	uctions of	the back	
1000000	ii.					specify	Tu					
		Water Det	nils		Н	Other specify		MILL)]				
		Gnd of Water	Fresh	Untested		th (m/ft) Diameter To (cm/in)						-
		Other, spe Kind of Water		Untested		20' 10"			1			
		Other, spe		Untester	36	180 6"						-
		Other, spe								6	4	
Business Na	We ame of Well	Il Contractor	or and Well	Technicia		ion el Contractor's Licence No.					R	
				LLIN					11	T.		
Business Ad		ot Number/Na	ame)			Inicipality	Comments:					
Province	Po	stal Code		s E-mail Ad	dress		Well owner's	Date Package Delivere	ad 1	Min	istry Use	Only
Bus. Telepho		rea code) Na	ime of Well	Fechnician (Last Name,	First Name)	information package	Date Package Delivere		Audit No.	ZA2	5273
Well Technica	an's Licence N	No. Signature	of Technicia	n and/or Co	ontractor Da	te Submitted	delivered	Date Work Completed		1		2-12
28	176	1 /2	2010	1		Y Y M M D D	No	YYYYMM	D D	Received		
0506E (2020/0	6) Queen's	s Printer for Onta	ano, 2020			Well Owner's Cor	ру					

SEPTIC PUMPING RECEIPT



INTERACTIVE LINKS

Virtual Tour





Scan the QR Code or Visit: https://my.matterport.com/show/? m=BPJU1Fp9cXD

Video Tour





Scan the QR Code or Visit: https://youtu.be/J07VhIx-RyA

Google Map





Scan the QR Code or Visit: https://maps.app.goo.gl/G8CBsGT vs5hhX2Xx7

Panorama View





Scan the QR Code or Visit: https://360panos.org/panos/ 1133Sassy/

MLS LISTING



1133 Sassy Tree Lane

Frontenac Ontario K0H 1W0

Frontenac 47 - Frontenac South Frontenac SPIS: N Taxes: \$5.277.06/2024

Detached Front On: N
Link: N Acre: 2-4.99

List: \$1,249,000 For: Sale

DOM: 0

Lot: 475 x 300 Feet**Irreg:**

Bungalow

Dir/Cross St: Sassy Tree Lane & Desert Lake Road

MLS#: X12142184 PIN#: 36272057

Possession Remarks: TBD Kitchens: 1 + 0

Fam Rm: N
Basement: Fin W/O / Full

Fireplace/Stv: Y

Heat: Forced Air / Propane

A/C: Central Air

Central Vac: Y

Apx Age: 1100-1500

Apx Sqft: Assessment: POTL:

POTL Mo Fee: Elevator/Lift:

Laundry Lev: Main

Phys Hdcap-Eqp:

Exterior: Brick / Vinyl Siding
Drive: Pvt Double
Gar/Gar Spcs: None / 0
Drive Park Spcs: 4
Tot Prk Spcs: 4
UFFI: None

Pool: Energy Cert: Cert Level: GreenPIS: Prop Feat:

Central Vacuum, Fireplace/Stove, Lake Access, Waterfront, Waterfront,

Wooded/Treed

Zoning: RLSW
Cable TV: A
Hydro: Y
Gas: N
Phone: A
Water: Well

Water Supply: Drilled Well Sewer: Septic Unknown Farm/Agr: Direct Waterfront:

Retirement: Garden Shed, Shed

Oth Struct:

Water Body Name: Desert Lake Water Body Type: Lake Water Frontage (M): 144.78

Topography: Hilly, Rocky, Wooded/Treed

Water Features: Dock, Stairs to Waterfront, Waterfront-Deeded

Access to Property: Private Road

Docking Type: Private Water View: Direct WaterfrontYN: Y Waterfront: Direct Shoreline: Clean, Deep, Rocky Shoreline Allowance: None

Shoreline Exp: W

Alternative Power: Generator-Wired Easements/Restrict: Unknown

Rural Services:

Cell Services, Electricity Connected, Garbage Pickup, Internet High

Speed, Recycling Pickup, Telephone Available
Waterfront Accessory Bldgs: Not Applicable
Water Delivery Features: Uv System

#	Room	Level	Length (ft)	Width (ft)	Description	
1	Foyer	Main	5.25	x4.59	Tile Floor	
2	Living	Main	17.06	x12.8	Hardwood Floor	Fireplace Insert
3	Dining	Main	13.12	x13.12	Hardwood Floor	W/O To Deck
4	Kitchen	Main	9.84	x9.19	Tile Floor	
5 6	Laundry	Main	17.72	x6.56	Tile Floor	
6	Prim Bdrm	Main	13.45	x10.83	Hardwood Floor	
7	Bathroom	Main	15.42	x7.87	Tile Floor	4 Pc Ensuite
8	2nd Br	Main	10.83	x10.17	Hardwood Floor	4 Pc Bath
9	Bathroom	Main	7.55	x4.59	Tile Floor	W/O To Yard
10R	ec	Lower	26.25	x20.34	Laminate	3 Pc Bath
	athroom	Lower	10.17	x7.22	Tile Floor	31 C Datii
	rd Br	Lower	12.8	x10.17	Laminate	
13	Utility	Lower	18.7	x 12.8	Concrete Floor	

Client Remks: Spectacular Desert Lake waterfront home! If deep, clean, west facing waterfront is what you are looking for and a custombuilt beautiful home, then look no further! Welcome to 1133 Sassy Tree on beautiful Desert Lake. This home sits perched on the hill and overlooks the lake and has gentle steps down to the waterfront. As you enter the home, you will immediately notice quality and craftsmanship throughout. The welcoming foyer opens up into a large living area with a fireplace and an open concept dining room and custom kitchen with stone countertops and an abundance of cabinets. There is a laundry room located behind the kitchen and a primary bedroom with an attached 4-pc en-suite bathroom. At the other end of the home is a second bedroom and a main 4-pc bathroom. From the dining room area, you can access a large screened in porch and open deck area that looks down towards the dock and lake. Heading downstairs you will find a massive recreation room with a walkout door through the ICF foundation into the front yard. Also located on this level is a third bedroom, a 3-pc bathroom and a large utility room. This home is serviced by a septic system and a newly drilled well. There is a storage area with exterior access to a storage room that once housed the oil tank, but the home is now heated by a forced air propane furnace. Down the pathway and steps, past the trickling stream you will find a large dock, deep clean waterfront and access to all your waterfront dreams. The landscape and gardens will surely impress you and the massive rock face behind the house creates an amazing Canadian Shield backdrop. Desert Lake is located on the Canadian Shield and is one of the deepest lakes in our area with great swimming, boating and fishing opportunities.

Extras:

Listing Contracted With: ROYAL LEPAGE PROALLIANCE REALTY, BROKERAGEPh: 613-273-9595



Questions? Contact us:

Tammy & Heath Gurr

Royal LePage ProAlliance Realty, Brokerage







Westport Office: 7 Spring Street, P.O. Box 148, Westport, ON K0G 1X0 www.gurreathomes.com info@gurreathomes.com (613) 273-9595

Kingston Office: 640 Cataraqui Woods Drive Kingston, ON K7P 2Y5