

182A Brooks Point Road, Rideau Lakes, ON

X11971385



4 Bedrooms

2 Bathrooms

Lot: 150 x 515 Ft

Opinicon Lake

Lakefront retreat on beautiful Opinicon Lake!

This property is located at the end of a private lane and includes a 4-season cottage or home, a 2-car detached garage and an additional building that could be used as a storage shed or bunkie. The lot is 1.5 acres in size and offers a private setting with elevated westerly views over the lake – perfect for enjoying sunsets! The house has been nicely updated and features 1 bedroom on the main level and 3 bedrooms on the lower level as well as a full bathroom on each level. The main level also has cathedral ceilings, a gorgeous wood burning fireplace and a large deck. The main area is open and bright with large windows bringing in the sunshine. In addition to the bedrooms and bathroom on the lower level, there is also a family room, utility room and walkout basement. The home is serviced by a drilled well and septic system and heated with a propane furnace as well as the woodstove.







182A Brooks Point Road Rideau Lakes, ON



Features	3
More Information	4
Floor Plan	6
Survey & Aerial Images	7
Septic Inspection	9
Septic Inspection Receipt	13
Interactive Links	14
MLS Listing	15
Contact Information	16











Listing Description

Lakefront retreat on beautiful Opinicon Lake!

This property is located at the end of a private lane and includes a 4-season cottage or home, a 2-car detached garage and an additional building that could be used as a storage shed or bunkie.

The lot is 1.5 acres in size and offers a private setting with elevated westerly views over the lake – perfect for enjoying sunsets!

The house has been nicely updated and features 1 bedroom on the main level and 3 bedrooms on the lower level as well as a full bathroom on each level. The main level also has cathedral ceilings, a gorgeous wood burning fireplace and a large deck. The main area is open and bright with large windows bringing in the sunshine. In addition to the bedrooms and bathroom on the lower level, there is also a family room, utility room and walkout basement.

The home is serviced by a drilled well and septic system and heated with a propane furnace as well as the woodstove.

Opinicon Lake is part of the historic Rideau Canal System and offers great boating, swimming and fishing opportunities. The lake also is home to Queen's University Biological Station, James H. Fullard Nature Reserve and The Opinicon Resort.

This is a fantastic opportunity to own a waterfront property on the Rideau System!

Directions

Brooks Point Road, Rugged Lane

MORE INFORMATION

Utility & Maintenance Information (2024)

- **Hydro** Total cost: \$1,020.66 (paid to Hydro One)
- **Heating** Propane cost: \$1,277.28
 - only one fill-up in January; used recreationally, with heat lowered when away
- **Road Maintenance Fees** \$150 (paid to Opinicon East Cottagers' Association; fees vary)
- **Internet** Provided by Xplore Net









GALLERY




















FLOOR PLANS






MAIN LEVEL

BASEMENT


GROSS INTERNAL AREA
FLOOR 1: 812 sq.ft, 75 m², FLOOR 2: 848 sq.ft, 79 m²
EXCLUDED AREA: GARAGE: 648 sq.ft, 60 m², PORCH: 214 sq.ft, 20 m², DECK: 416 sq.ft, 39 m²
TOTAL: 1660 sq.ft, 154 m²

SIZES AND DIMENSIONS ARE APPROXIMATE, ACTUAL PAY WARE

SURVEY 1/2



SURVEY 2/2



SEPTIC INSPECTION 1/4

YOUR SEPTIC INSPECTOR

SEPTIC CHECK LIST

YOUR SEPTIC SPECIALISTS

CEDAR CREST - BCIN # 44157

MARK VANALSTINE - 613-812-0334 HARRY VANALSTINE - 613-326-1189 DAVID L SMITH

DAVID L SMITH BCIN # 41318 & 41528 Date Inspected: APRIL 24, 2015 Client: Address Site: 182 A BROOKS ROAD, RIDEAU LAKES, ONTARIO KOG 1E0 Mailing Address: Specialist Signature: David L Evaluation Scale: (4) Installed New (3) Good (2) Fair (1) Poor Overall Septic Appearance 4 3 2 1 Tank Material Concrete (Plastic) Tank Size L 3600 L ENVIRO Risers Yes (No) <1' 2' 3' Depth of Coverage Need to be Pumped Yes (No) Outflow Filter No (Yes Tank Condition (3) 2 1 Intake Baffle (3)2 1 (3) 2 1 Outflow Baffle Covered Does Sump Pump Flow to Tank Yes No Does Water Softener Flow into System No Covered (Yes Septic Bed Flow Test Done (Yes) No Start Time 2:03 Stop Time _ 2:34 Flow Test (Pass) Fail (3) 2 1 Grass Coverage

3

1

Tree Clearance

SEPTIC INSPECTION 2/4

Clearances								
V	Vell: 17 m							
P	roperty Lines: _ G R t	EATER THEN	51	1				
В	uildings:3 m							
Soil Test								
Te	est One							
	Type of Material in T	est: TAD CAI	, / ,	DED SOUL	60 AUEL / FILT	E1.50~10		
	Bio Mat Present	312110132 1101	210074 ~ 0					
	Water Present		Yes Yes	(No)				
	Smell		Yes	(No)				
ŋ	Test Two			0				
	Type of Material in T	est TAD CAUL	0.51	0 = 2.10/ = 0	AUEL LEHTER	caun		
	Bio Mat Present		Yes	(No)	ROBE PRICIEIC.	2////		
	Water Present		Yes	No				
	Smell		Yes	(No)				
Te	est Three		1230.00	0				
	Type of Material in Test: TOP SOIL PED SAND GRAVEL FILTER Bio Mat Present Yes (No)							
	Water Present		Yes	(No)				
	Smell		Yes	(No)	*			
Te	est Four		. 03					
		Part: Tall and	10	en en mile	aurilenara	CA.10		
	Type of Material in T Bio Mat Present		50		LA VISE/ PILIER	_3/1/10		
	Water Present		Yes	(No)				
	Smell		Yes	(No)				
Daily Desig			163	(No)				
				Dadas	2			
	(square meters)			Bedrooms _	3			
Type of We	ll Dug	(Drilled)		Other				

SEPTIC INSPECTION 3/4

- 1	-	THE STATE	6		0			
- 1	-(1	V	m	re		α	111	nt.
- 1	20	Δ	ш			L JI		

Bathroom Group	2	x 6	12
Bathtub with/without Shower		x 1.5	
Shower Stall		x 1.5	
Wash Basin 1 1/2 Trap		x 1.5	
Water Closet		x 4	
Bidet		x 1	
Kitchen Dishwasher	/	x 1	1
Sinks	/	x 1.5	1.5
Washing Machine	/	x 1.5	1.5
Sink and Laundry Trap		x 1.5	1.5
Water Softener		x 1.5	1,5
Other	-	x	
Total Fixture Count		-	19
Design Flow	1,600	L/day	

Comments:

THE SEPTIC BED IS LOCATED WITHIN 1M OF THE DROP OFF BUT NOT THE PROPERTY LINE. AT THE TIME OF THE INSPECTION AFTER RUNNING THE FLOW TEST IN THE BED NO BREAKOUT WAS NOTICED SO THIS IS NOT EFFECTING THE OPERATION OF THE WEEPING BED.

THERE ARE SOME SMALL TREES PLANTED ON THE EDGE OF THE WEEPING BED BUT AT THE TIME OF THE INSPECTION ARE NOT HAVE AN EFFECT ON THE WEEPING BED.

BOTH THE TANK AND THE WEEPING BED HAD NO PROBLEMS AT THE TIME OF THE INSPECTION.


Recommendations:

THE SEPTIC TANK HAS AN EFFLUENT FILTER IN THE OUTFLOW BAFFLE OF THE TANK. THIS FILTER WILL NEED TO BE CLEANED ONCE A YEAR TO ENSURE THAT IT DOES NOT CLOG UP AND CAUSE A BACK-UP INTO THE COTTAGE.


YOU MAY WANT TO INSTALL RISERS ONTO THE TANK SO YOU DO NOT HAVE TO DIG UP THE TANK EVERY YEAR TO CLEAN THE FILTER.

SEPTIC INSPECTION 4/4

AS-BUILT DRAWING



SEPTIC INSPECTION RECEIPT



INTERACTIVE LINKS

Virtual Tour





Scan the QR Code or Visit: https://my.matterport.com/show/? m=ctGTYBqUku1

Video Tour





Scan the QR Code or Visit: https://youtu.be/Vbc8Hz6DBKg

Google Map





Scan the QR Code or Visit: https://maps.app.goo.gl/ Cz19v7Xp5tvdrm8o9

Panorama View





Scan the QR Code or Visit: https://360panos.org/ panos/182brookspointrd/

MLS LISTING



182A Brooks Point Rd

Rideau Lakes Ontario K0G 1E0

Rideau Lakes 817 - Rideau Lakes (South Crosby) Twp Leeds and Grenville

SPIS: N Taxes: \$3,861.04/2024 DOM: 0

Detached Front On: W Acre: .50-1.99 Link: N Bungalow

Washrooms: 2 1x3xMain, 1x3xBsmt

RW

Ν

Υ

Ν

Well

Septic

Direct

Drilled Well

Unknown

Rms: 12

Bedrooms: 4

List: \$869.000 For: Sale

Lot: 149.8 x 515 Feet**Irreg:**

Dir/Cross St: Brooks Point Road, Rugged Lane

MLS#: X11971385

Possession Remarks: TBD

Kitchens: Fam Rm: N

Fin W/O / Full **Basement:**

Fireplace/Stv:

Heat: Forced Air / Propane

A/C: None Central Vac:

Apx Age: **Apx Sqft:** Assessment: POTL:

POTL Mo Fee: Elevator/Lift: Laundry Lev: Main

Phys Hdcap-Eqp: Water Body Type: Lake Water Frontage (M): 45.65

Topography: Hilly, Rocky, Sloping, Wooded/Treed

Water Features: Dock, Stairs to Waterfront, Waterfront-Deeded

Access to Property: Private Docking, Private Road

Docking Type: Private Water View: Direct WaterfrontYN: Y

Waterfront: Direct

Exterior: Vinyl Siding Drive: Pvt Double **Gar/Gar Spcs:**

Tot Prk Spcs: UFFI: Pool: **Energy Cert:** Cert Level:

Clear View, Fireplace/Stove, Lake Access, Sloping, Waterfront, Wooded/Treed

Detached / 2 Drive Park Spcs:

6

None

GreenPIS: Prop Feat:

Shoreline: Soft Bottom, Natural

Shoreline Allowance: None Shoreline Exp: W

Alternative Power: None Easements/Restrict: Unknown

Rural Services:

Cell Services, Electricity Connected, Internet High Speed, Telephone

Zoning: Cable TV:

Hydro:

Phone: Water:

Sewer:

Water Supply:

Spec Desig:

Waterfront: **Retirement:**

Oth Struct:

Farm/Agr:

Gas:

Available

Waterfront Accessory Bldgs: Not Applicable

Water Delivery Features: Uv System, Water Treatmnt

# Room	Level	Length (ft)	Width (ft)	Description			
1 Foyer	Main	15.09	x 3.61	Laminate			
2 Laundry	Main	6.89	x 6.56	Laminate			
3 Bathroom	Main	6.89	x4.92	Tile Floor	3 Pc Bath		
4 Prim Bdrm	Main	15.09	x11.15	Laminate			
5 Kitchen	Main	15.09	x 10.83	Laminate			
டுving	Main	20.01	x15.42	Laminate	Fireplace	W/O To Deck	
B athroom	Bsmt	6.56	x4.59	Tile Floor	3 Pc Bath		
28nd Br	Bsmt	12.8	x10.83	Laminate			
39rd Br	Bsmt	10.5	x9.51	Laminate			
104th Br	Bsmt	15.42	x7.87	Laminate			
11Rec	Bsmt	15.75	x10.83	Laminate	W/O To Patio		
12 Utility	Bsmt	13.78	x 5.58		W/O TO Fatio		

Client Remks: Lakefront retreat on beautiful Opinicon Lake! This property is located at the end of a private lane and includes a 4-season cottage or home, a 2-car detached garage and an additional building that could be used as a storage shed or bunkie. The lot is 1.5 acres in size and offers a private setting with elevated westerly views over the lake perfect for enjoying sunsets! The house has been nicely updated and features 1 bedroom on the main level and 3 bedrooms on the lower level as well as a full bathroom on each level. The main level also has cathedral ceilings, a gorgeous wood burning fireplace and a large deck. The main area is open and bright with large windows bringing in the sunshine. In addition to the bedrooms and bathroom on the lower level, there is also a family room, utility room and walkout basement. The home is serviced by a drilled well and septic system and heated with a propane furnace as well as the wood-stove. Opinicon Lake is part of the historic Rideau Canal System and offers great boating, swimming and fishing opportunities. The lake also is home to Queens University Biological Station, James H. Fullard Nature Reserve and The Opinicon Resort. This is a fantastic opportunity to own a waterfront property on the Rideau System!



Questions? Contact us:

Tammy & Heath Gurr

Royal LePage ProAlliance Realty, Brokerage







Westport Office: 7 Spring Street, P.O. Box 148, Westport, ON K0G 1X0 www.gurreathomes.com info@gurreathomes.com (613) 273-9595

Kingston Office: 640 Cataraqui Woods Drive Kingston, ON K7P 2Y5