

### 182A Brooks Point Road, Rideau Lakes, ON

## X12502702











#### Lakefront retreat on beautiful Opinicon Lake!

This property is located at the end of a private lane and includes a 4-season cottage or home, a 2-car detached garage and an additional building that could be used as a storage shed or bunkie. The lot is 1.5 acres in size and offers a private setting with elevated westerly views over the lake – perfect for enjoying sunsets! The house has been nicely updated and features 1 bedroom on the main level and 3 bedrooms on the lower level as well as a full bathroom on each level. The main level also has cathedral ceilings, a gorgeous wood burning fireplace and a large deck. The main area is open and bright with large windows bringing in the sunshine. In addition to the bedrooms and bathroom on the lower level, there is also a family room, utility room and walkout basement. The home is serviced by a drilled well and septic system and heated with a propane furnace as well as the woodstove.







| 1 | able | of | Contents |
|---|------|----|----------|
| • |      |    |          |

182A Brooks Point Road Rideau Lakes, ON

| Features                  | 3  |
|---------------------------|----|
| More Information          | 4  |
| Floor Plan                | 6  |
| Survey & Aerial Images    | 7  |
| Septic Inspection         | 9  |
| Septic Inspection Receipt | 13 |
| Interactive Links         | 14 |
| MLS Listing               | 15 |
| Contact Information       | 16 |











#### **Listing Description**

#### **Lakefront retreat on beautiful Opinicon Lake!**

This property is located at the end of a private lane and includes a 4-season cottage or home, a 2-car detached garage and an additional building that could be used as a storage shed or bunkie.

The lot is 1.5 acres in size and offers a private setting with elevated westerly views over the lake – perfect for enjoying sunsets!

The house has been nicely updated and features 1 bedroom on the main level and 3 bedrooms on the lower level as well as a full bathroom on each level. The main level also has cathedral ceilings, a gorgeous wood burning fireplace and a large deck. The main area is open and bright with large windows bringing in the sunshine. In addition to the bedrooms and bathroom on the lower level, there is also a family room, utility room and walkout basement.

The home is serviced by a drilled well and septic system and heated with a propane furnace as well as the woodstove.

Opinicon Lake is part of the historic Rideau Canal System and offers great boating, swimming and fishing opportunities. The lake also is home to Queen's University Biological Station, James H. Fullard Nature Reserve and The Opinicon Resort.

This is a fantastic opportunity to own a waterfront property on the Rideau System!

#### **Directions**

Brooks Point Road, Rugged Lane

## **MORE INFORMATION**

### **Utility & Maintenance Information (2024)**

- **Hydro** Total cost: \$1,020.66 (paid to Hydro One)
- **Heating** Propane cost: \$1,277.28
  - only one fill-up in January; used recreationally, with heat lowered when away
- **Road Maintenance Fees** \$150 (paid to Opinicon East Cottagers' Association; fees vary)
- **Internet** Provided by Xplore Net









## **GALLERY**




















## **FLOOR PLANS**






**MAIN LEVEL** 

**BASEMENT** 


GROSS INTERNAL AREA
FLOOR 1: 812 sq.ft, 75 m², FLOOR 2: 848 sq.ft, 79 m²
EXCLUDED AREA: GARAGE: 648 sq.ft, 60 m², PORCH: 214 sq.ft, 20 m², DECK: 416 sq.ft, 39 m²
TOTAL: 1660 sq.ft, 154 m²

SIZES AND DIRECTORS ARE APPRICABLE, ACTUAL HAY WARE

### **SURVEY 1/2**



### SURVEY 2/2



## **SEPTIC INSPECTION 1/4**

#### YOUR SEPTIC INSPECTOR

#### SEPTIC CHECK LIST

CEDAR CREST - BCIN # 44157

MARK VANALSTINE - 613-812-0334 HARRY VANALSTINE - 613-326-1189 DAVID L SMITH

DAVID L SMITH BCIN # 41318 & 41528 YOUR SEPTIC SPECIALISTS

| Date Insp    | ected: APRIL 24, 2015               |        |        |        |          |          |
|--------------|-------------------------------------|--------|--------|--------|----------|----------|
| Client:      |                                     |        |        |        |          |          |
| Address Sit  | e: 182 A BROOKS ROAD, RIDEAU LAKES  | , ONTA | RIO K  | 0G 1E0 | )        |          |
| Mailing Add  | lress:                              |        |        |        |          |          |
| Specialist S | Signature: David L Smith            |        |        |        |          |          |
|              | Evaluation Scale: (4) Installed     | d New  | (3)    | Good   | (2) Fair | (1) Poor |
| Overall Se   | eptic Appearance                    | 4      | 3      | 2      | 1        |          |
| Tank         |                                     |        |        |        |          |          |
|              | Material                            | Conc   | rete   |        | Plastic  |          |
|              | Tank Size L                         | ENV    | IRO    | 360    | 70 L     |          |
|              | Risers                              | Yes    |        |        | No       |          |
|              | Depth of Coverage                   | <1'    | 1      | 2′     | 3′ 4′    |          |
|              | Need to be Pumped                   | Yes    |        | (No    | 9        |          |
|              | Outflow Filter                      | Yes    | )      | No     | 0        |          |
|              | Tank Condition                      | 4      | 3      | 2      | 1        |          |
|              | Intake Baffle                       | 4      | 3      | 2      | 1        |          |
|              | Outflow Baffle                      | 4      | 3      | 2      | 1        | * 4      |
|              | Does Sump Pump Flow to Tank         | Υ      | es     |        | No       | Covered  |
|              | Does Water Softener Flow into Syste | em (   | (es)   |        | No       | Covered  |
| Septic Be    | ed                                  |        |        |        |          |          |
|              | Flow Test Done                      | (      | (es)   |        | No       |          |
|              | Start Time 2:03                     | Sto    | op Tim | ne 2   | 2:34     |          |
|              | Flow Test                           | P      | ass    |        | Fail     |          |
|              | Grass Coverage                      | 4      | (3     | ) 2    | 2 1      |          |
|              | Tree Clearance                      | 4      | 3      | (2     | 2) 1     |          |

## **SEPTIC INSPECTION 2/4**

| Clearances  |  |              |            |                   |  |  |  |  |  |
|-------------|--|--------------|------------|-------------------|--|--|--|--|--|
| Well: _17 m |  |              |            |                   |  |  |  |  |  |
| - P         | Property Lines: GREATER THEN SM                                    |              |            |                   |  |  |  |  |  |
| В           | Buildings: 3 m   |              |            |                   |  |  |  |  |  |
| Soil Test   |  |              |            |                   |  |  |  |  |  |
| Te          | est One  |              |            |                   |  |  |  |  |  |
|             | Type of Material in Test: TOP SOIL/ RED SOND/ GRAVEL/ FICTION SAND |              |            |                   |  |  |  |  |  |
|             | Bio Mat Present  | Yes          |            | 7                 |  |  |  |  |  |
|             | Water Present  | Yes          | _          |                   |  |  |  |  |  |
|             | Smell  | Yes          | (No)       |                   |  |  |  |  |  |
| Т           | Cest Two   |              | _          |                   |  |  |  |  |  |
|             | Type of Material in Test:  | TOP SOIL/ RE | 0 SAND/ 61 | LAUEL FILTER SAND |  |  |  |  |  |
|             | Bio Mat Present  | Yes          |            |                   |  |  |  |  |  |
|             | Water Present  | Yes          | No         |                   |  |  |  |  |  |
|             | Smell  | Yes          | No         |                   |  |  |  |  |  |
| Те          | est Three  |              |            |                   |  |  |  |  |  |
|             | Type of Material in Test: TOP SOIL/ RED SAND/ GRAVEL /FILTER SAND  |              |            |                   |  |  |  |  |  |
|             | Bio Mat Present  | Yes          |            | ,                 |  |  |  |  |  |
|             | Water Present  | Yes          | No         | 4)                |  |  |  |  |  |
|             | Smell  | Yes          | No         |                   |  |  |  |  |  |
| Te          | est Four   |              |            |                   |  |  |  |  |  |
|             | Type of Material in Test:  | TOP SOILY R  | ED SAND/G  | RAVEL/FILTER SAND |  |  |  |  |  |
|             | Bio Mat Present  | Yes          |            |                   |  |  |  |  |  |
|             | Water Present  | Yes          | No         |                   |  |  |  |  |  |
|             | Smell  | Yes          | No         |                   |  |  |  |  |  |
| Daily Desig | n Flow   |              |            |                   |  |  |  |  |  |
| House Size  | (square meters)150 m   | 1 APPROX     | Bedrooms _ | 3                 |  |  |  |  |  |
| Type of We  | ll Dug   | Drilled      | Other      |                   |  |  |  |  |  |

### **SEPTIC INSPECTION 3/4**

|     | 77  |    | 7-5- |    | ~ |   |     | 1.  |
|-----|-----|----|------|----|---|---|-----|-----|
| - 1 | -(1 | VI | 111  | re |   | 0 | 111 | nt: |
| - 1 | -1  | Al |      |    |   |   | ш   | 11  |

| Bathroom Group              | 2     | x 6    | 12  |
|-----------------------------|-------|--------|-----|
| Bathtub with/without Shower |       | x 1.5  |     |
| Shower Stall                |       | x 1.5  |     |
| Wash Basin 1 1/2 Trap       | (A)   | x 1.5  |     |
| Water Closet                |       | x 4    |     |
| Bidet                       | -     | x 1    |     |
| Kitchen Dishwasher          |       | x 1    | 1   |
| Sinks                       | 1     | x 1.5  | 1.5 |
| Washing Machine             | /     | x 1.5  | 1.5 |
| Sink and Laundry Trap       |       | x 1.5  | 1.5 |
| Water Softener              |       | x 1.5  | 1,5 |
| Other                       | -     | x      |     |
| Total Fixture Count         |       | -      | 19  |
| Design Flow                 | 1,600 | _L/day |     |

#### Comments:

THE SEPTIC BED IS LOCATED WITHIN 1M OF THE DROP OFF BUT NOT THE PROPERTY LINE. AT THE TIME OF THE INSPECTION AFTER RUNNING THE FLOW TEST IN THE BED NO BREAKOUT WAS NOTICED SO THIS IS NOT EFFECTING THE OPERATION OF THE WEEPING BED.

THERE ARE SOME SMALL TREES PLANTED ON THE EDGE OF THE WEEPING BED BUT AT THE TIME OF THE INSPECTION ARE NOT HAVE AN EFFECT ON THE WEEPING BED.

BOTH THE TANK AND THE WEEPING BED HAD NO PROBLEMS AT THE TIME OF THE INSPECTION.


#### Recommendations:

THE SEPTIC TANK HAS AN EFFLUENT FILTER IN THE OUTFLOW BAFFLE OF THE TANK. THIS FILTER WILL NEED TO BE CLEANED ONCE A YEAR TO ENSURE THAT IT DOES NOT CLOG UP AND CAUSE A BACK-UP INTO THE COTTAGE.


YOU MAY WANT TO INSTALL RISERS ONTO THE TANK SO YOU DO NOT HAVE TO DIG UP THE TANK EVERY YEAR TO CLEAN THE FILTER.

## **SEPTIC INSPECTION 4/4**

### **AS-BUILT DRAWING**



### **SEPTIC INSPECTION RECEIPT**



## **INTERACTIVE LINKS**

**Virtual Tour** 





Scan the QR Code or Visit: https://my.matterport.com/show/? m=ctGTYBqUku1

### **Video Tour**





Scan the QR Code or Visit: https://youtu.be/gbr22p0qJ0c

### Google Map





Scan the QR Code or Visit: https://maps.app.goo.gl/ Cz19v7Xp5tvdrm8o9

#### **Panorama View**





Scan the QR Code or Visit: https://360panos.org/panos/182bro okspointrd/

#### **MLS LISTING**



182A Brooks Point Rd

Rideau Lakes Ontario K0G 1E0

Rideau Lakes 817 - Rideau Lakes (South Crosby) Twp Leeds and Grenville

SPIS: N **Taxes:** \$3,861.04/2024

Detached Front On: W **Rms:** 12 Acre: .50-1.99 Bedrooms: 4 Link: N Washrooms: 2 Bungalow 1x3xMain, 1x3xBsmt

**Lot:** 149.8 x 515 Feet**Irreg:** 

Dir/Cross St: Brooks Point Road, Rugged Lane

**Directions:** Brooks Point Road, left on Rugged Lane. Follow to end.

MLS#: X12502702

Possession Remarks: TBD

Kitchens: Fam Rm: Ν

**Basement:** Fin W/O / Full

Fireplace/Stv:

Forced Air / Propane Heat:

A/C: None **Central Vac:** Ν Apx Age: 700-1100

Apx Sqft: Assessment: POTL:

**POTL Mo Fee:** Elevator/Lift: Laundry Lev:

Main Phys Hdcap-Eqp:

Exterior: Drive: Pvt Double Gar/Gar Spcs: Detached / 2 **Drive Park Spcs:** Tot Prk Spcs: 6

None

UFFI: Pool: **Energy Cert:** Cert Level: **GreenPIS: Prop Feat:** 

Clear View, Fireplace/Stove, Lake Access, Sloping, Waterfront, Wooded/Treed

Zoning: Cable TV: Vinyl Siding RW Ν Hydro: Υ

Gas: Ν Phone: Water: Well **Water Supply: Drilled Well** Sewer: Septic Spec Desig: Unknown

List: \$749,000 For: Sale

Farm/Agr: Direct Waterfront:

Retirement: Available Oth Struct:

Survey Type:

Water Body Name: Opinicon Lake

Water Body Type: Lake Water Frontage (M): 45.65

**Topography:** Hilly, Rocky, Sloping, Wooded/Treed

Water Features: Dock, Stairs to Waterfront, Waterfront-Deeded

Access to Property: Private Docking, Private Road

**Docking Type: Private** Water View: Direct WaterfrontYN: Y

Waterfront: Direct

Shoreline: Soft Bottom, Natural Shoreline Allowance: None

Shoreline Exp: W Alternative Power: None Easements/Restrict: Unknown

**Rural Services:** 

Cell Services, Electricity Connected, Internet High Speed, Telephone

Available

Waterfront Accessory Bldgs: Not Applicable

Water Delivery Features: Uv System, Water Treatmnt

| # Room      | Level | Length (ft) | Width (ft) | Description |               |             |
|-------------|-------|-------------|------------|-------------|---------------|-------------|
| 1 Foyer     | Main  | 15.09       | x 3.61     | Laminate    |               |             |
| 2 Laundry   | Main  | 6.89        | x 6.56     | Laminate    |               |             |
| 3 Bathroom  | Main  | 6.89        | x4.92      | Tile Floor  | 3 Pc Bath     |             |
| 4 Prim Bdrm | Main  | 15.09       | x11.15     | Laminate    |               |             |
| 5 Kitchen   | Main  | 15.09       | x 10.83    | Laminate    |               |             |
| டுving      | Main  | 20.01       | x15.42     | Laminate    | Fireplace     | W/O To Deck |
| Bathroom    | Bsmt  | 6.56        | x4.59      | Tile Floor  | 3 Pc Bath     |             |
| 28nd Br     | Bsmt  | 12.8        | x10.83     | Laminate    |               |             |
| 39rd Br     | Bsmt  | 10.5        | x9.51      | Laminate    |               |             |
| 104th Br    | Bsmt  | 15.42       | x7.87      | Laminate    |               |             |
| 11Rec       | Bsmt  | 15.75       | x10.83     | Laminate    | W/O To Patio  |             |
| 12 Utility  | Bsmt  | 13.78       | x 5.58     |             | vv/O 101 atio |             |

Client Remks: Lakefront retreat on beautiful Opinicon Lake! This property is located at the end of a private lane and includes a 4-season cottage or home, a 2-car detached garage and an additional building that could be used as a storage shed or bunkie. The lot is 1.5 acres in size and offers a private setting with elevated westerly views over the lake perfect for enjoying sunsets! The house has been nicely updated and features 1 bedroom on the main level and 3 bedrooms on the lower level as well as a full bathroom on each level. The main level also has cathedral ceilings, a gorgeous wood burning fireplace and a large deck. The main area is open and bright with large windows bringing in the sunshine. In addition to the bedrooms and bathroom on the lower level, there is also a family room, utility room and walkout basement. The home is serviced by a drilled well and septic system and heated with a propane furnace as well as the wood-stove. Opinicon Lake is part of the historic Rideau Canal System and offers great boating, swimming and fishing opportunities. The lake also is home to Queens University Biological Station, James H. Fullard Nature Reserve and The Opinicon Resort. This is a fantastic opportunity to own a waterfront property on the Rideau System!

Listing Contracted With: ROYAL LEPAGE PROALLIANCE REALTY, BROKERAGEPh: 613-273-9595



# **Questions? Contact us:**

## **Tammy & Heath Gurr**

Royal LePage ProAlliance Realty, Brokerage







Westport Office: 7 Spring Street, P.O. Box 148, Westport, ON K0G 1X0 www.gurreathomes.com info@gurreathomes.com (613) 273-9595

Kingston Office: 640 Cataraqui Woods Drive Kingston, ON K7P 2Y5